

Tree Safety Survey & Report For:

Redacted For Privacy



Client:	Redacted For Privacy
Job Ref.:	Redacted For Privacy
Survey Date:	10/02/2026
Report Date:	10/02/2026
Rev. No.:	-
Checked By:	AA

GraftinGardeners Ltd
45 Swanwick Close
London
SW15 4ES

t: 020 8123 7653
m: 07845 816425
e: info@graftingardeners.co.uk

Contents

- 1 Instruction..... 4**
- 2 Abbreviations..... 4**
- 3 The Site 4**
- 4 The Subject Trees 5**
- 5 Methodology 5**
- 6 Tree Works..... 6**
- 7 Definitions 6**
 - 7.1 Survey 6
 - 7.2 Informal Observation 7
 - 7.3 Formal Inspection 7
 - 7.4 Detailed Inspection..... 7
- 8 Protection Status 8**
 - 8.1 Tree Preservation Orders and Conservation Areas (Town and Country Planning Act 1990).. 8
 - 8.2 Forestry Act 1967, and Felling Licences 9
- 9 Recommended Works 9**
- 10 Reasons for Works 10**
- 11 Works Priority 10**
- 12 Reinspection Period 10**
- 13 Caveats 10**
- 14 References 11**
 - Appendices 12**
 - Appendix 1 Glossary of Terms and Abbreviations..... 13
 - Appendix 2 Tree Schedule 15
 - Appendix 3 Tree Location Plan 19

Document Details:

Site address:	Redacted For Privacy
Ref:	Redacted For Privacy
Site visit undertaken by:	Redacted For Privacy
Date of site survey:	10/02/2026
Report prepared by:	Redacted For Privacy
Revision:	-

The content of this report is for the exclusive use of the client, their agents and submission to the Local Planning Authority. It may not be sold, lent, hired out or divulged to any third party not directly involved in the subject matter without the written consent of GraftinGardeners Ltd.

The statements made in this Report and Survey do not take account of the effects of extremes of climate, vandalism, or accident, whether physical, chemical, or fire. GraftinGardeners Ltd cannot therefore accept any liability in connection with these factors, nor where the prescribed work is not carried out in a correct and professional manner in accordance with current best practice. The authority of this Report and Survey ceases at any time limit stated within it, or if none stated after one year from the date of the survey or when any site conditions change or pruning or other works unspecified in the Report and Survey are carried out to, or affect the Subject Tree(s), whichever is the sooner.

1 Instruction

- 1.1 GraftinGardeners Ltd was instructed by On Call Property Services to undertake a tree safety survey of all trees with a stem diameter greater than 120mm at 1.5m from ground level within falling distance of identified medium to high-risk target areas (e.g., site boundaries, structures and roads) at Redacted For Privacy.
- 1.2 A ground-based inspection of the trees was undertaken as a matter of routine maintenance enabling our client to fulfil their duty of care as defined by both civil law and the Occupiers' Liability Acts of 1957 & 1984.
- 1.3 The trees were inspected to assess their overall condition and to identify the level of risk they potentially may pose to persons and property. Remedial works are recommended for trees where the level of risk is deemed unacceptably high and general management advice provided where appropriate.

2 Abbreviations

- 2.1 The following abbreviations will be used throughout this report:

BS 3998	British Standard - 'BS 3998:2010 Tree Work - Recommendations.'
LPA	Local Planning Authority
VTA	Visual Tree Assessment
TLP	Tree Location Plan
TPO	Tree Preservation Order
CA	Conservation Area

3 The Site

- 3.1 Redacted For Privacy (the 'site') is occupied by a multi-storey block split into twenty self-contained flats.
- 3.2 Access to the site is directly off Redacted For Privacy to the north of the block. To the northeast of the block are two rows of terraced garages and parking.
- 3.3 Remaining areas surrounding of the block comprise lawn/landscaped gardens.
- 3.4 An aerial photograph of the site is included below:



Aerial image of site (© Google Maps 2026)

4 The Subject Trees

- 4.1 The tree stock within the site was varied in species, age, and size. The surveyed trees were deemed to be of low to high amenity/landscape value with most trees appearing to be in average health and vigour at the time of the inspection. (Please see Appendix 3 for tree work recommendations within the Tree Survey Schedule).

5 Methodology

- 5.1 All trees were inspected in accordance with the VTA method as described by Mattheck, C. & Breloer, H., 2001. *The Body Language of Trees - A handbook for failure analysis*. London: TSO.
- 5.2 The inspection was carried out from ground level with the aid of binoculars where required. No tissue samples were taken, or any internal investigation of the subject trees carried out.
- 5.3 All trees were provided with an individual reference number recorded within the Tree Survey Schedule and on the Tree Location Plan (TLP).
- 5.4 The trees were inspected only from land within the client's ownership, or from public land. Where restricted access prevented full inspection, this was recorded within the Tree Survey Schedule along with future access and reinspection requirements.

6 Tree Works

- 6.1 Tree works shall be carried out in accordance with BS3998:2010 Recommendations for tree work (British Standards Institute, 2010), industry best practice and in line with any works already agreed with the relevant Local Authority.
- 6.2 If during the course of these operations the need for other work becomes apparent, then the advice of the project arboriculturist will be sought. No works other than those detailed within the report will be carried out without the prior written consent of the relevant Local Authority.
- 6.3 Attention is paid to the common law right to prune overhanging trees back to boundaries. Should this be required then all efforts will be made to contact the tree owner prior to the commencement of works and all work will be undertaken without access onto third party land.
- 6.4 The statutory protection afforded by the Wildlife and Countryside Act 1981 (Amended) and Countryside and Rights of Way Act 2000 (Amended) must also be adhered to. Where there is evidence that bats, nesting birds, or other protected species are present then specialist advice will be obtained prior to the commencement of work. Further advice on bats is available from the Bat Conservation Trust (www.bats.org.uk) and on birds from the Royal Society for the Protection of Birds (www.rspb.org.uk).
- 6.5 All operations shall be carefully carried out to avoid damage to the trees being treated or neighbouring trees. No trees to be retained shall be used for anchorage or winching purposes.

7 Definitions

7.1 Survey

- 7.1.1 In the context of tree management services, the following meanings apply:
- 7.1.2 A tree survey should be conducted by a competent and experienced person and is used to obtain useful information about the subject trees. A survey usually involves the collection of information relating to a tree's species, height, diameter, general health, life expectancy and general management requirements. It also often requires the position of each tree to be plotted onto a plan and the use of a special tag to allocate an individual reference number.
- 7.1.3 The information collected during a survey can be very useful both as a record of what exists and as a basis for future management decisions and long-term monitoring.

7.2 Informal Observation

- 7.2.1 The informal observation of the subject trees should be undertaken by persons with good local knowledge and familiarity with the trees and their surroundings. Such people should be aware of potentially dangerous situations that may arise from unsafe trees and should be able to recognise gross defects or abnormalities should they occur.
- 7.2.2 Any person tasked with this responsibility should ensure that they remain aware of each tree's health and condition as they conduct their other daily tasks. They should identify any structural weakness or actual failure that poses an imminent threat to public safety and should report it or act upon it as required.
- 7.2.3 Any identified or reported tree-related safety problems arising from informal observations made by members of staff or the general public should be acted upon without delay. Initially, this may take the form of a formal inspection by a competent member of staff or an external inspector. This may then result in no further action being required, or in tree surgery, felling or implementing measures to manage the area within falling distance of the tree.

7.3 Formal Inspection

- 7.3.1 A formal inspection is undertaken with the specific purpose of performing an inspection that is not incidental to other activities. Formal inspections should be undertaken by persons with a general knowledge of trees and the ability to recognise abnormal features or serious signs of ill-health, should they occur.
- 7.3.2 Inspectors need the capacity to assess the area which may be at risk from a falling tree or tree part and must have the powers to request a detailed inspection should they believe that one is required.
- 7.3.3 A formal inspection will include a health and condition assessment and will comprise of ground-based visual checks. Whilst a formal inspection may not identify hidden features such as fungal fruiting bodies or internal decay it will be sufficient to recognise clear and present signs of immediate instability such as uprooting or other major structural failure.

7.4 Detailed Inspection

- 7.4.1 A detailed inspection will occur in two distinct stages. The first stage will comprise of a systematic and diagnostic process of visual inspection by a competent person from ground level using binoculars, mallet as required, with the aim of gaining an in-depth understanding of a tree's structural condition.
- 7.4.2 If deemed necessary by the inspector, and agreed by the client, then a second stage of more detailed investigations may be undertaken including soil and root condition assessments, aerial inspections of the upper trunk and crown or internal investigations using specialist diagnostic tools.

- 7.4.3 A detailed investigation will provide the information necessary in order to advise on a recommended reinspection interval and provide the detailed management recommendations necessary to adequately control any identifiable risk.
- 7.4.4 A detailed inspection must only be carried out by a competent and experienced person who is both qualified and insured to carry out this type of work. They should be familiar with a wide range of trees, their defects and decay fungi and should be capable of both assessing risk and recommending cost effective methods of mitigation.

8 Protection Status

8.1 Tree Preservation Orders and Conservation Areas (Town and Country Planning Act 1990).

- 8.1.1 Our basic online searches could not identify any TPO's pertaining to trees/vegetation on or adjacent to the site. The CA status of the site is unknown.
- 8.1.2 Further to the above, it must be stated that searches undertaken by GraftinGardeners Ltd with specific regard to the statutory protection status of trees are preliminary in nature and collated with information obtained from the respective LPA website. Such information is only a guide as LPA websites and the information provided within them are subject to continual change.
- 8.1.3 It is therefore strongly advised that information pertaining to the statutory protection status of a tree or trees, on and/or adjacent to development sites be fully investigated by contacting the respective LPA directly. Should a TPO or CA status be confirmed then full details should be obtained in writing from the respective LPA.
- 8.1.4 Where trees are protected by a TPO, or located within a CA, formal consent of the LPA should be obtained before any works are carried out. Failure to obtain the necessary consent is an offence and if convicted in a magistrates' court you could be fined up to £20,000 per offence. In serious cases, a person may be committed for trial in the Crown Court and, if convicted, is liable to an unlimited fine.
- 8.1.5 There are however some instances where the formal consent of the LPA is not required before carrying out works to protected trees. These 'exempt' works include urgent works to trees that are dead, or dangerous.
- 8.1.6 Although exempt, owners must still notify the LPA of your intention to carry out such works. Except in an emergency, you are advised to give at least five days' notice before carrying out any pruning or felling and to record both the works completed and the reason(s) for those works. It is in your interests to do this as you may be prosecuted should the LPA think that you have carried out unauthorised work.

8.1.7 Except in the case of a woodland TPO, there is an automatic duty to replace any tree that is removed because it is dead or dangerous. The LPA has the powers to waive this duty, and you are advised to contact them should you wish to avoid replanting.

8.2 Forestry Act 1967, and Felling Licences

8.2.1 Tree felling is a legally controlled activity.

8.2.2 Unless exempt you will normally need permission from the Forestry Commission to fell growing trees and they will normally provide this by issuing a felling licence.

8.2.3 The licence will allow you to fell identified trees and woodland legally.

8.2.4 Exemptions to the requirement for a felling licence are listed below:

- In any calendar quarter you may fell up to 5 cubic metres (m³) of growing trees on your property without a felling licence, as long as no more than 2m³ are sold.
- Tree pruning.
- If less than 8cm diameter when measured at 1.3m from ground level, or <10cm diameter for thinning to improve the growth of adjacent trees, or <15cm for understorey trees and coppiced trees.
- Fruit trees.
- Gardens, orchards, churchyards, public open spaces and trees growing within the inner London boroughs.
- Dangerous and nuisance trees where there is a demonstrable immediate serious risk of harm.
- Tree health where the felling of trees is necessary to prevent the spread of a quarantine pest or disease in accordance with a Statutory Plant Health Notice (SPHN), as issued by the Forestry Commission under the Plant Health (Forestry) Order 2005.
- Where felling is permitted to implement an approved planning permission.
- Where felling is undertaken directly by a statutory undertaker.

9 Recommended Works

9.1 Except in the case of a woodland TPO, there is an automatic duty to replace any tree that is removed because it is dead or dangerous. The LPA has the powers to waive this duty, and you are advised to contact them should you wish to avoid replanting.

10 Reasons for Works

10.1 The reason for works will be required by the Local Authority where the trees need permission to be pruned or felled.

11 Works Priority

11.1 The recommended time scales/priority for the works is as follows:

Within 24-Hours	Immediate action required	– failure is imminent/occurring.
Within 3-Months	Priority works	– there is a high likelihood of failure within 3 months or works are considered necessary within 3 months.
Within 1-Year	Works required	– failure is likely to occur and is foreseeable within 1 year or works are considered necessary within 1 year.

12 Reinspection Period

12.1 In the absence of any other type of inspection (e.g., informal), all trees that are within falling distance of any targets such as roads, or places where people may frequent, or objects of value should be formally inspected annually, or after any extreme weather event.

13 Caveats

13.1 The conclusions and recommendations in this report and survey are valid for a period of 1 year from the date of issue. Trees are living organisms subject to change; this validity period may be reduced should changes occur within the site or the surrounding area. All recommendations are given in the context of the site’s current usage; any change would necessitate a reinspection.

13.2 Inherent in tree inspection is assessment of the risk associated with trees close to people and their property. Most human activities involve a degree of risk, such risks being commonly accepted if the associated benefits are perceived to be commensurate.

13.3 Risks associated with trees tend to increase with the age of the trees concerned, but so do many of the environmental benefits. It will be appreciated, and deemed to be accepted by the client, that the formulation of recommendations for all management of trees will be guided by a cost/benefit analysis.

13.4 A risk index of 10 or 1/10,000 is generally considered as acceptable in most industries. Ultimately, the landowner/site manager must determine their own thresholds and levels of acceptable exposure.

14 References

Anon., 1981. Wildlife and Countryside Act (Amended). s.l.:HMSO.

Anon., 2000. Countryside and Rights of Way Act 2000 (Amended). s.l.:HMSO.

British Standards Institute, 2010. Tree work - Recommendations. London: BSI.

K. Weber, C. M. (2003). Manual of Wood Decays in Trees. Romsey: AA.

Lonsdale, D. D. (1999). *Principles of Tree Hazard Assessment and Management*. London: TSO.



Matheny, N. P., & Clark, J. R. (1994). *A Photographic Guide to the Evaluation of Hazard Trees in Urban Areas* (2nd Edition ed.). Champaign: International Society of Arboriculture.


Mattheck, C., & Breloer, H. (2001). *The Body Language of Trees - A handbook for failure analysis*. London: TSO.

Winter, R. S. (2000). *Diagnosis of ill-health in trees* (2nd ed.). Norwich: TSO.

Appendices

Appendix 1 Glossary of Terms and Abbreviations

Management Prescription	Explanation
Bracing	The installation of cables, ropes and/or belts to reduce the probability that weakened part of the tree will fail because of excess movement.
Coppice Tree	The cutting down of the stem or stems (usually of a previously coppiced tree or species that is commonly coppiced) to within 300mm of ground level to promote the regrowth of fresh shoots.
Crown Clean	Removal of unsightly features within the tree; for example, climbing plants, dead or dying and damaged branches, accumulations of leaf litter and rubbish.
Crown Lift	<p>Removal of the lowest branches or parts of these branches which extend below a particular height, usually necessitate access.</p> <p>Removal of branches greater in diameter than one third the diameter of the stem from which they are removed should be avoided.</p> 
Crown Reduce	<p>A crown reduction is a very common arboricultural operation performed to reduce the height and/or spread of a tree by selectively cutting back smaller branches. This can be done to help prevent damage to the tree caused by 'wind-loading', but more commonly is performed when a tree is outgrowing its confines, or for purely cosmetic reasons.</p> <p>Crown reductions are specified as a reduction of total leaf area. Reductions of greater than 30% should be avoided except in exceptional circumstances as this can be detrimental to the health of the tree.</p> <p>Also, the branch removed should not leave a wound diameter greater than a 1/3 of the diameter of the branch from which it has been cut, at the pruning point.</p> 

Management Prescription	Explanation
Crown Thin	<p>Crown thinning involves the removal of some of the branches and leaf area of the tree with the intention of creating an even and balanced tree structure. This may include the removal of damaged, crossing and crowded branches.</p> <p>As with reductions, removal of more than 30% of the leaf area should be avoided and the branch removed should not leave a wound diameter greater than a $\frac{1}{3}$ of the diameter of the branch from which it has been cut.</p> <div style="text-align: center;">  </div>
Epicormic Growth	Epicormic growth is the proliferation of young shoots around the stem and branches from adventitious buds present beneath the bark.
Fell to ground level	Complete removal of the tree leaving a stump at ground level.
Remove Hanger	Removal of a partially or completely loose branch which presents a hazard, especially in high wind.
Monolith	Removal of all side branches and treetop leaving a standing trunk at a given height which may then be left to decay and fall apart.
Pollard to original points	Pollarding involves the removal of the upper part of the stem and ends of the branches to create a robust framework from which new shots can grow. Pollarding should only be carried out on a young tree as the same work on an older tree often causes extensive decay. Pollarding to original points is to make a new series of cuts at the same position as the cuts of the previous cycle.
Resistograph and further detailed inspection	The second phase of a detailed inspection. This may include, but is not limited to, decay mapping, root and soil assessments and climbing inspections. These may be required when specific defects are identified whose full significance cannot be determined by visual assessment, probing, or tapping alone.

Appendices

Appendix 2 Tree Schedule

Site: Redacted For Privacy

Surveyor: Redacted For Privacy

Date of Survey: 10/02/2026

DATE	TREE NO.	TYPE	SPECIES	HEIGHT RANGE (m)	DBH RANGE (mm)	AGE	CROWN SPREAD AVERAGE (m)	OBSERVATIONS	WORKS SPECIFICATION	REASONS FOR WORKS	RISK	WORKS PRIORITY
10/02/2026	1	T	Cherry	0-5	100-200	Early Mature	3	Minor dead diseased wood, old pruning wounds to primary scaffold and stem, major stem wound with moderate decay			Low	
10/02/2026	2	T	Hawthorn	0-5	0-100	Early Mature	2	Multi-stemmed, major stem wound with moderate decay			Low	
10/02/2026	3	T	Hawthorn	0-5	0-100	Early Mature	3	Multi-stemmed			Low	
10/02/2026	4	T	Robinia	15-20	600-700	Mature	9	Minor dead diseased wood, asymmetric crown, bifurcated stem at 3m, ivy clad stem. Full VTA not possible due to dense ivy	Remove ivy from stem	To enable reinspection	Medium	6-months
10/02/2026	5	G	Lime	5-10	100-200	Early Mature	3					
10/02/2026	6	T	Robinia	15-20	500-600	Mature	7	Minor dead diseased wood, asymmetric crown, ivy clad stem. Full VTA not possible due to dense ivy	Remove ivy from stem	To enable reinspection	Medium	6-months
10/02/2026	7	T	Scots Pine	5-10	200-300	Early Mature	2	Minor dead diseased wood, asymmetric crown, ivy clad stem. Full VTA not possible due to dense ivy	Remove ivy from stem	To enable reinspection	Medium	6-months
10/02/2026	8	T	Corsican Pine	15-20	700-800	Mature	6	Minor dead diseased wood, asymmetric crown, ivy clad stem. Full VTA not possible due to dense ivy	Remove ivy from stem	To enable reinspection	Medium	6-months

Appendices

DATE	TREE NO.	TYPE	SPECIES	HEIGHT RANGE (m)	DBH RANGE (mm)	AGE	CROWN SPREAD AVERAGE (m)	OBSERVATIONS	WORKS SPECIFICATION	REASONS FOR WORKS	RISK	WORKS PRIORITY
10/02/2026	9	T	Scots Pine	10-15	500-600	Mature	7	Minor dead diseased wood, heavily asymmetric crown, ivy clad stem. Full VTA not possible due to dense ivy	Remove ivy from stem	To enable reinspection	Medium	6-months
10/02/2026	10	T	Laburnum	0-5	0-100	Mature	4	Multi-stemmed			Low	
10/02/2026	11	G	Lawson Cypress	5-10	100-200	Early Mature	2				Low	
10/02/2026	12	T	Corsican Pine	15-20	700-800	Mature	8	Minor dead diseased wood, asymmetric crown			Low	
10/02/2026	13	T	Holly	10-15	200-300	Mature	4				Low	
10/02/2026	14	T	Lawson Cypress	15-20	300-400	Mature	2				Low	
10/02/2026	15	T	Holly	0-5	200-300	Early Mature	3				Low	
10/02/2026	16	T	Sycamore	20-25	600-700	Mature	6	Twin stem with inclusion			Low	
10/02/2026	17	T	Magnolia	0-5	100-200	Early Mature	4	Multi-stemmed			Low	
10/02/2026	18	T	Oak	15-20	300-400	Early Mature	5	Minor dead diseased wood, asymmetric crown			Low	
10/02/2026	19	T	Lawson Cypress	10-15	200-300	Early Mature	2				Low	
10/02/2026	20	T	Holly	0-5	200-300	Early Mature	3				Low	
10/02/2026	21	T	Lawson Cypress	10-15	300-400	Mature	3				Low	
10/02/2026	22	T	Lawson Cypress	0-5	200-300	Early Mature	2				Low	
10/02/2026	23	T	Scots Pine	5-10	200-300	Early Mature	3				Low	
10/02/2026	24	G	Lime	15-20	300-400	Mature	7	Minor dead and diseased wood, tight forks, over-reaching lower branches. Full VTA not possible due to limited access	Remove 3 x over-reaching low branches	Routine maintenance	Medium	6-months

Appendices

DATE	TREE NO.	TYPE	SPECIES	HEIGHT RANGE (m)	DBH RANGE (mm)	AGE	CROWN SPREAD AVERAGE (m)	OBSERVATIONS	WORKS SPECIFICATION	REASONS FOR WORKS	RISK	WORKS PRIORITY
10/02/2026	25	T	Elder	0-5	100-200	Early Mature	3	Asymmetric crown, multi-stemmed			Low	
10/02/2026	26	G	Sycamore	10-15	100-200	Early Mature	3	Single, twin and multi-stemmed trees			Low	
10/02/2026	27	T	Elder	0-5	100-200	Early Mature	1	Asymmetric crown, multi-stemmed			Low	
10/02/2026	28	T	Sycamore	5-10	400-500	Mature	7	Minor dead diseased wood, twin-stem, ivy clad stem. Full VTA not possible due to dense ivy	Remove ivy from stem	To enable reinspection	Medium	6-months
10/02/2026	29	T	Robinia	5-10	300-400	Early Mature	2	Minor dead diseased wood, minor stem wounds, loose bark			Low	
10/02/2026	30	T	Beech	15-20	900-1000	Mature	8	Minor dead diseased wood, old pruning wounds to primary scaffold and stem, minor displacement of surrounding hard standing			Low	
10/02/2026	31	T	Beech	15-20	900-1000	Mature	9	Minor dead diseased wood, old pruning wounds to primary scaffold and stem, trifurcated stem at 5.5m			Low	
10/02/2026	32	T	Beech	20-25	900-1000	Mature	9	Minor dead diseased wood, old pruning wounds to primary scaffold and stem, stem cavity with early decay, bifurcated stem at 1.5m likely inclusion. Full VTA not possible due to limited access			Low	
10/02/2026	33	T	Cedar	20-25	900-1000	Mature	10	Minor dead diseased wood, co-dominant side stem, old pruning wounds to stem and primary scaffold			Low	

Appendices

DATE	TREE NO.	TYPE	SPECIES	HEIGHT RANGE (m)	DBH RANGE (mm)	AGE	CROWN SPREAD AVERAGE (m)	OBSERVATIONS	WORKS SPECIFICATION	REASONS FOR WORKS	RISK	WORKS PRIORITY
10/02/2026	34	T	Lawson Cypress	5-10	200-300	Early Mature	2	Twin stem			Low	
10/02/2026	35	T	Norway Spruce	15-20	300-400	Early Mature	4	Minor dead diseased wood, co-dominant side stem			Low	
10/02/2026	36	T	Lawson Cypress	5-10	200-300	Early Mature	3				Low	
10/02/2026	37	T	Birch	0-5	200-300	Mature	3	Previous storm damaged leader, asymmetric crown leader, stem wound with moderate decay, exudation from stem			Low	

Appendix 3 Tree Location Plan

